

Otokar



INTERCITY

TERRITO U

CHOICE OF 2 DIFFERENT LENGTHS
PREMIUM DRIVELINE
EXCELLENT FOR MULTIPURPOSE USE
EBS, ECAS, ESC* (*OPTION)



53 +12



4,5 m³



DOUBLE WING TYPE MIDDLE DOOR AND WHEELCHAIR LIFT



**RECLINING SEATS
WITH LEATHER HEADRESTS**




ERGONOMIC DRIVER AREA



ACCESSIBILITY

The **Territo U** is suitable for a wide range of uses, making it your new profit generator. It has capacity for up to 79 passengers as well as luggage racks and a 4.5m³ baggage compartment. The stylish interior features LED illumination and reclining seats with leather headrests. A double middle door, lift and wheelchair space make access easy for all passengers. As well as an exceptional driveline, the Territo offers low running costs thanks to its reliability and fuel efficiency. A smooth drive is ensured with automatic transmission and independent front suspension.

TERRITO U WITH PODIUM



53 SEATED + 12 STANDING

TERRITO U WITHOUT PODIUM



49 SEATED + 13 STANDING + 1 WHEELCHAIR

Alternative configurations available on demand.

TECHNICAL SPECIFICATIONS

Structure

Body construction	Complete galvanized self-carrying tubular construction
Side windows	Double glazed

Engine

Make/model	MAN D0836 LOH 64, Intercooler Turbo Diesel Euro V
Cylinders	6 in-line
Volume	6870 cc
Max. power	213 kW (290 HP) / 2300 rpm
Max. torque	1100 Nm / 1200 - 1750 rpm

Transmission

Make/model	ZF ECOLIFE
------------	------------

Axles

Front	Independent front suspension
Rear	Rigid

Steering system

Type	Hydraulic
Turning radius	11 m

Brake system

Service brakes	Full dry air disc brakes, ABS, ASR, EBS
----------------	---

Suspension

Front	2 air bellows, 2 hydraulic shock absorbers, 1 levelling sensor
Rear	4 air bellows, 4 hydraulic shock absorbers, 2 levelling sensors

Wheels

Tyre	295/80 R22,5
------	--------------

Fuel system

Diesel tank capacity	270 L
----------------------	-------

Heating and air conditioning

Type	Roof type air conditioning unit with heating and fresh air intake
Power	35 kW

Electrical system

Batteries	2x12V 225 Ah
Alternator	24 Volt, 2x120A


Luggage compartment

Capacity	4,5m ³
----------	-------------------

OPTIONS

Foldable seats for wheelchair place, camera for middle and rear door view, destination plates, LCD-DVD player





DIMENSIONS

Overall length (mm)	12080
Overall width (mm)	2540
Overall height (mm)	3225
Wheelbase (mm)	5900
Front track (mm)	2120
Rear track (mm)	1804
Front overhang (mm)	2780
Rear overhang (mm)	3400
Interior height (mm)	1895 / 2073

WEIGHT

Front axle (kg)	6500
Rear axle (kg)	11500
Gross vehicle weight (kg)	18000

INTERCITY BUS RANGE



YOUR DISTRIBUTOR:

Otokar Europe SAS
 24-26 rue du Noyer B.P.41
 Parc Les Scientifiques De Roissy Lot A-3
 95700 Roissy en France
 France

www.otokar.com